



Power Reference amplifiers feature a striking wraparound LED accent beam which sets off the sleek sexy look. An all new cast aluminum chassis improves heat dissipation allowing them to play louder longer. PR amplifiers are the workhorse of the Memphis line with power and reliability at their core.



full range amps

PRXA700.5 5-CH 4 x 75(w) + 1 x 400 (w) @ 2Ω

PRXA300.4 4-CH 4 x 75(w) @ 2Ω

PRXA300.2 2-CH 2 x 150(w) @ 2Ω

mono amps

PRXA1500.1 1-CH 1 x 1500(w) @ 1Ω

PRXA1000.1 1-CH 1 x 1000(w) @ 1Ω

PRXA600.1 1-CH 1 x 600(w) @ 1Ω

- · Diecast aluminum heatsink
- · Hidden top mounted control panel
- 12dB/octave Butterworth crossovers
- 1Ω stable (MONO Amps)
- · Signal sensing auto turn on
- · Short circuit protection
- Remote bass knob
- Input select switch (4/5 channel models)



Street Reference amplifiers are the ultimate combination of performance, aggressive style and value. These powerhouses are capable of pushing the envelope without breaking the bank. Street Reference is the perfect choice for any entry to mid-level system. These amplifiers feature a sleek black aluminum textured finish with a brilliant LED accent.













reatures

- Textured aluminum heatsink
- · Selectable bass boost on all models
- Variable crossover network
- · Remote level control / bass knob (mono amps)
- Ultra-bright LED accent light strip

full range amps

SRX150.2 2-CH 2 x 75w @ 2Ω SRX300.4 4-CH 4 x 75W @ 2Ω

mono amps

SRX1200D.1	1-CH 1 x 1200w @ 1Ω
SRX750D.1	1-CH 1 x 750w @ 2Ω
SRX500D.1	1-CH 1 x 500w @ 2Ω
SRX250.1	1-CH 1 x 250w @ 2Ω



Street Edge amplifiers were designed to be affordable without sacrificing performance. The stripped down styling of these amplifiers allowed Memphis to dedicate more efforts towards achieving solid performance with big power ratings while maintaining an affordable price point.













full range amps

SE1200.4 4-CH 4 x 75(w) @ 2Ω


mono amps

SE2000.1DF 1-CH 1 x 500(w) @ 1Ω

- Extruded Aluminum Heatsink
- Variable Crossovers
- Remote Bass Knob (Mono)
- Subsonic Filter (Mono)

MODEL #	RMS POWER	RMS POWER								
	4Ω (w)	ZΩ (w)	RMS POWER 1Ω (w)	BRIDGED/ MONO POWER 4Ω (w)	THD% 4Ω	FREQUENCY RESPONSE	DIMENSIONS L x W x H (In)	WARRANTY (Yrs) EXTENDED (Y/N)	INPUT RANGE	AMP KIT
POWER REFERENCE										
PRXA700.5	50 x 4 + 200 x 1	75 x 4 + 400 x 1	-	140 x 2 + N/A	<1%	20Hz - 20kHz 20Hz - 180Hz	16.1 x 7.5 x 2.1	14	200mV - 6V	4GKIT
PRXA300.4	50 x 4	75 x 4	*	150 x 2	<1%	20Hz - 20kHz	13.2 x 7.5 x 2.1	1 Y	200mV - 6V	8GKIT
PRXA300.2	100 x 2	150 x 2	8	300 x 1	<1%	20Hz - 180Hz	13.2 x 7.5 x 2.1	1 Y	200mV - 6V	8GKIT
PRXA1500.1	700 x 1	1000 x 1	1500 x 1	728	<1%	20Hz - 20kHz	16.1 x 7.5 x 2.1	1 Y	200mV - 6V	OCKIT
PRXA1000.1	400 x 1	750 x 1	1000 x 1	9 4 8	<1%	20Hz - 180Hz	13.2 x 7.5 x 2.1	1 Y	200mV - 6V	4GKIT
PRX A600.1	250 x 1	400 x 1	600 x 1	((# ()	<1%	20HZ - 180Hz	11 x 7.5 x 2.1	1 Y	200mV - 6V	4GKIT
				STRE	ET REFE	RENCE				
SRX300.4	50 x 4	75 x 4	2	150 x 2	<1%	20HZ - 20KHz	13.4 x 7.8 x 2	1 N	110mV - 5.5V	8CKIT
SRX150.2	50 x 2	75 x 2	*	150 x 1	<1%	20HZ - 20kHz	9.3 x 7.8 x 2	1 N	110mV - 5.5V	10GKIT
SRX1200D.1	300 x 1	600 x 1	1200 x 1	(#)	<1%	30Hz - 250Hz	11.8 x 7.8 x 2	1 N	120mV - 6.1V	4GKIT
SRX750D.1	400 x 1	750 x 1	6	370	<1%	30Hz - 250Hz	11 x 7.8 x 2	1 N	120mV - 6.1V	4GKIT
SRX500D.1	350 x 1	500 x1	2	r <u>a</u> r	<1%	30Hz - 20kHz	9.2 x 7.8 x 2	1 N	110mV - 5.5V	4GKIT
SRX250.1	150 x 1	250 x1	~	348	<1%	30Hz - 250Hz	10.4 x 7.8 x 2	1 N	110mV - 5.5V	8GKIT
				ST	REET EL	OGE				
SE1200.4	50 x 4	75 x 4	8	150 x 2	<1%	20Hz - 20kHz	13.98 x 7.59 x 2.08	1 N	200mV -8V	8GKIT
SE2000.1DF	200 x 1	350 x 1	500 x 1	r <u>a</u> n	<1%	20Hz - 250Hz	11.92 x 7.59 x 2.08	1 N	200mV - 8V	8GKIT
				МЕМРН	IS XTRE	ME AUDIO				
MXA850.5M	60 x 4 + 175 x 1	100 x 4 + 300 x 1	450 x 1	200 x 2 + N/A	<1%	10Hz - 45kHz	13.4 x 6.1 x 2.2	2 Y	110mV - 8V	4GKIT
MXA480.4M	80 x 4	120w x 4	8	240 x 2	<1%	10Hz - 40kHz	10.2 x 6.1 x 2.2	2 Y	100mV - 6V	8GKIT
MXA600.1M	250 x 1	400 x 1	600 x 1	r <u>a</u> r	<1%	17Hz - 250Hz	10.2 x 6.1 x 2.2	2 Y	100mV - 5.5V	4GKIT
MXA5.600	50 x 4	75 x 4 + 300 x 1	*	150 x 2 + N/A	<1%	20Hz - 20kHz	11.4 x 4 x 1.7	2 Y	150mV - 7.3V	8GKIT
MXA600.4	130 x 4	150 x 4	*	300 x 2	<1%	20HZ - 20kHz	8.25 x 4.33 x 1.75	2 Y	300mV - 8.5V	8GKIT
MXA300.4	65 x 4	75 x 4	8	150 x 2	<1%	20Hz - 20kHz	8.625 x 3.25 x 1.75	2 Y	300mV - 9V	8CKIT
MXA300.2	115 x 2	150 x 2		300 x 1	<1%	20Hz - 20kHz	8.625 x 3.25 x 1.75	2 Y	330mV - 9V	8CKIT
MXA300.1	190 x 1	300 x 1				19Hz - 280Hz	8.625 x 3.25 x 1.75	2 Y	350mV - 11V	8CKIT
MXA100.2S	25 x 2	•	-	(e)	<1%	60Hz - 20kHz	4.2 x 3.2 x 1.5	2 Y	200mV - 2V	10GKIT
MXA200.4S	25 x 4		8	:(1 ())	<1%	60Hz - 20kHz	4.8 x 3.2 x 1.5	2 Y	200mV - 2V	10GKIT





Dual Layer Composite Fiber Cone

Unique lightweight cone material is extremely rigid resulting in fast response time and the ability to handle great amounts of power.

Dual Layer Precision Coil Windings

The larger diameter voice coil allows for the precise number of windings to be arranged in 2 layers versus 4. Dual layer coils have lower inductance and cool significantly faster than 4 layer coils. The result is a flatter frequency response and more distortion free output

Folded Surround

Our folded surround design allows for increased excursion without sacrificing effective cone surface area resulting in more output compared to traditional surround designs

7.5" Shorting Ring

The shorting ring absorbs eddy current which act as a counter force when the coil is moving through the magnet gap. Reducing this results in lower distortion.

7.5" Voice Coil

No other subwoofer on the market features a massive 7.5" voice coil. This unique design allows the VIV subwoofer to push the limits of sound quality while still handling immense amounts of power.

320 Oz Magnet

This massive magnet was developed to work in harmony with the oversized voice coil to generate unprecedented levels of magnetic force producing low frequencies unrivaled by the competition with minimal distortion.

DVVC Direct Vent Voice Coil Cooling

A cooler voice coil is a more efficient voice coil. The DVVC cooling system positions the vents directly below the coil allowing heat to dissipate faster than traditional venting allowing the subwoofer to play louder, longer.



The VIV1422 14" subwoofer is capable of handling and absurd 2200w RMS power with an exceptionally flat frequency response. The VIV1422 is the best of both worlds, high power and amazing sound quality. The massive 7.5" dual layer voice coil combined with the DVVC (Direct Vent Voice Coil) cooling dissipates the heat generated at high power. The unique folded surround was engineered to allow extreme excursion without sacrificing effective surface area.







- Massive 7.5" voice coil
- 7.5" shorting ring for reduced distortion
- Dual layer VC for reduced inductance and linear frequency response
- Folded surround for increased excursion without sacrificing effective surface area
- DVVC Direct Vent Voice Coil Cooling
- · Stitched V-Groove surround

sixfive series sub

VIV1422

14" 2Ω DVC 2200/4400w



MOJO6 Subwoofers have earned the respect of the audio industry through raw performance that makes bass heads smile. MOJO subwoofers were designed to handle extreme power and produce thunderous bass.



MOJO subs

 MOJO615D4
 15" 4Ω DVC 2200/4400w

 MOJO615D2
 15" 2Ω DVC 2200/4400w

 MOJO612D4
 12" 4Ω DVC 1500/3000w

 MOJO612D2
 12" 2Ω DVC 1500/3000w

Optional Grills: 15" - MG15 // 12" - BRMG12

- · Vented cast aluminum basket
- · Fiberglass reinforced cone
- Double stitched rubber surround
- · Reinforced double spider
- Heat dissipating aluminum heatsink
- · Single sided terminal block
- 4-layer CCAW 3.5"voice coil
- 235oz Magnet (12" & 15") 220oz Magnet (10")



Harness the power of MOJO Subwoofers in a new compact package! The look, feel and power of MOJO subwoofers is now available in compact 8" and 6.5" versions opening a whole new world of possibilities for Memphis MOJO applications. Want to add Mini Mojo bass without custom fabrication? Check out the all new Mini Mojo loaded enclosures.







- Vented cast aluminum basket
- Fiberglass reinforced cone
- · Stitched foam surround
- · Heat dissipating aluminum heat sink
- 4-layer copper 2" voice coil (1.5" on MJM622/44)
- DVVC Direct Vent Voice Coil Cooling

mojo mini subs

MJM844	8" 4Ω DVC 900W/1800W
MJM822	8" 2Ω DVC 900W/1800W
MJM644	6.5" 4Ω DVC 700w/1400w
MJM622	6.5" 2Ω DVC 700w/1400w



M6 Subwoofers take a hint from their big brother the MOJO in terms of providing impressive bass. Although M6 can bang with the best of them, it also effortlessly produces warm accurate bass notes for an exceptional listening experience. When power handling and great sound quality are a factor, you can count on M6 to deliver.




M6 subs

M615D4	15" 4Ω DVC 900/1800w
M615D2	15" 2Ω DVC 900/1800w
M612D4	12" 4Ω DVC 700/1400w
M612D2	12" 2Ω DVC 700/1400w
M610D4	10" 4Ω DVC 500/1000w
M610D2	10" 2Ω DVC 500/1000w

Optional Grills:

15" - MG15 // 12" - BRMG12 // 10" - BRMG10

- · Vented cast aluminum basket
- 2.5" wet wound voice coil
- 120oz Magnet
- Fiberglass reinforced cone
- Double stitched rubber surround
- Reinforced spider
- Single sided terminal block



the woofer to a true 2Ω or 4Ω impedance without sacrificing output. This unique design allows systems to be scalable making upgrading from a single sub to a dual sub set up simple without the need to replace the subwoofer.





features

- Selectable impedance design 2Ω or 4Ω (Patent pending)
- Ultra-light Aluminum voice coil for increased sensitivity and more output
- Folded surround for max excursion without sacrificing surface area
- Reinforced double stitched rubber surround
- Polypropylene dust cap
- Woven tinsel leads
- 2" 4 layer aluminum Dual Impedance voice coil 10"/12"/15", 1.5" on 8"
- **DVVC Direct Vented Voice Coil Cooling**

mb subwoofer

15" $2\Omega/4\Omega$ Dual Impedance 500/1000w MB1524 MB1224 12" $2\Omega/4\Omega$ Dual Impedance 500/1000w MB1024 10" 2Ω/4Ω Dual Impedance 500/1000w MB824 8" 2Ω/4Ω Dual Impedance 300/600w

Optional Grills:

15" - MC15 // 12" - BRMC12 // 10" - BRMC10 // 8" - BRC8



Power Reference subwoofers are the workhorse of the Memphis line. Proven performance is the reason PR subs are our best selling subwoofer. Outfitted in a black-on-black two-tone color scheme, these subwoofers look as good as they perform. With sizes ranging from 6.5" to 15", PR subwoofers have a solution to fit all your needs.











power reference subs

PRX1544 15" 4Ω DVC 350/700w PRX154 15" 4Ω SVC 350/700w PRX1244 12" 4Ω DVC 300/600w PRX124 12" 4Ω SVC 300/600w 10" 4Ω DVC 250/500w PRX1044 PRX104 10" 4Ω SVC 250/500w PRX8D4 8" 4Ω DVC 200/400w PRX8S4 8" 4Ω SVC 200/400w PRX6D2 6.5" 2Ω DVC 150/300w

Optional Grills: 15" - PRXG15 // 12" - PRXG12 10" - PRXG10 // 8" - PRXG8 // 6.5" - PRXG6

- Black on black polypropylene cone
- Double Stitched butyl rubber surround
- · Reinforced spider shoulder
- · Improved suspension and coil design
- · Woven tinsel leads
- High temperature TIL voice coil former
- Upgraded voice coil size to 2.5" on PRX15



Slim subs just got a whole lot better. The new PRXS shallow subwoofers don't just share a family look with Power Reference, they bring the same reliable and powerful bass as their full sized counterparts. Capable of handling 350w RMS power with a mounting depth of only 3", these subwoofers are the real deal and will bring big Memphis bass to any space.











features

- Ultra-slim 3" mounting depth
- Injected poly dust cap and cone with PR family appearance
- Heavy duty stamped basket
- Rubber surround
- Improved sensitivity and low end response over previous slim subwoofer offerings
- 45oz magnet
- DVVC Direct Vent Voice Coil Cooling
- Improved design for output and clarity
- Increased magnet size on 12" models
- Now featured in PRXS112SP & PRXS110E.

pr slim subs

PRXS1244 12" 4Ω DVC 350/700w PRXS1240 12" 4Ω SVC 350/700w PRXS1044 12" 4Ω DVC 350/700w PRXS1040 10" 4Ω SVC 350/700w

Optional Grills: 12" - PRXG12 // 10" - PRXG10



Whether it is your first system or you just need a little more bass in your trunk, the Street Reference line is the ultimate value subwoofer on the market. SR subs are indistinguishable from their predecessors with improved performance, durability and cosmetics making them an ideal solution for an audio upgrade..





street reference subs

 SRX1240
 12" 4Ω SVC 250/500w

 SRX1244
 12" 4Ω DVC 250/500w

 SRX1040
 10" 4Ω SVC 200/400w

 SRX1044
 10" 4Ω DVC 200/400w

Optional Grills: 12" - PRXG12 // 10" - PRXG10

- Polypropylene cone for improved durability
- · Lightweight but rigid cone design for improved efficiency
- Rubber surround for improved durability
- Progressive poly cotton spider for controlled motion resulting in lower distortion
- · Optimized for both sealed and vented enclosures
- · Anodized aluminum voice coil former
- 12 AWG compression terminals

MEMPHIS

The unmatched performance and value of SR subwoofers has expanded to bring big bass to any space. Street Reference slim subwoofers feature a mounting depth of well under 4" and handle an impressive 500W peak power. Get the perfect bass upgrade quickly in any application with Street Reference shallow mount subwoofers.





features

- Polypropylene cone for improved durability
- Rubber surround
- Progressive poly cotton spider for controlled motion resulting in lower distortion
- Sub cone design for greater efficiency
- Works well with both sealed or ported enclosures
- · Anodized aluminum voice coil former
- 12 AWG compression terminals
- Now featured in SRXS112SP Bass Packages

sr slim subs

 $\begin{array}{lll} \text{SRXS1244} & 12" \ 4\Omega \ \text{DVC} \ 250/500w \\ \text{SRXS1240} & 12" \ 4\Omega \ \text{SVC} \ 250/500w \\ \text{SRXS1044} & 10" \ 4\Omega \ \text{DVC} \ 250/500w \\ \text{SRXS1040} & 10" \ 4\Omega \ \text{SVC} \ 250/500w \\ \end{array}$

Optional Grills: 12" - PRXG12 // 10" - PRXG10



Street Edge subwoofers represent the ultimate budget friendly subwoofer on the market. When you need a subwoofer designed to get the job done that is easy on the pocketbook, the Street Edge line is an exceptional choice.





SE1040

SE1240

street edge subs

SE1240 12" 4Ω SVC 200/400w

SE1040 10" 4Ω SVC 200/400w

Optional Grills: 12" - PRXG12 // 10" - PRXG10

- Polypropylene SE branded cone
- Rubber surround
- 1.5" copper voice coil
- 27oz magnet
- Budget friendly option to bring bass to any vehicle
- DVVC Direct Vent Voice Coil Cooling

								3
MODEL NUMBER	SIZE	RMS/PEAK (w)	Sensitivity (dB)	Magnet Size (Oz)	Mounting Depth	Cut Out Diam (In)	VC Diameter (In)	Warranty Extended (Y/N)
			VI	V SIXFIVE	3393377			
VIV1422	14	2200/4400	86.5	320	9.45	13.19	7.5	1N
				МОЈО).			
MO30615D2/D4	15	2200/4400	86	235	9.44	14.01	3.5	1 N
MOJ0612D2/D4	12	1500/3000	82	235	8.58	10.7	3.5	1 N
MJM822/44	8	900/1800	82	105	5.75	7.32	2	1 N
MJM622/44	6.5	700/1400	82	80	5	5.95	1.5	1 N
				M SERIES	M6			
M615D2/D4	15	900/1800	93	120	8.26	14.01	2.5	1 Y
M612D2/D4	12	700/1400	82	120	7.32	10.7	2.5	1 Y
M610D2/D4	10	500/1000	83	120	6.61	9.25	2.5	1 Y
			"	M SERIES	МВ			
MB1524	15	500/1000	88	80	6.89	13.98	2	1 Y
MB1224	12	500/1000	87	60	5.43	11.06	2	1 Y
MB1024	10	500/1000	85	60	5.14	9.17	2	1 Y
MB824	8	300/600	83	33	3.74	7.13	1.5	1 Y
			РО	WER REFE	RENCE			
PRX154/44	15	350/700	86	60	6.73	13.8	2.5	1 Y
PRX124/44	12	300/600	86	60	5.54	11	2	1 Y
PRX104/44	10	250/500	84	60	5.18	9.25	2	1 Y
PRX8S4/D4	8	200/400	84	41	3.89	6.92	1.5	1 Y
PRX6D2	6.5	150/300	82	41	3.11	5.67	1.4	1 Y
			POWER	REFEREN	CE SHALLOW	/		
PRXS1240/44	12 shallow	350/700	84	50	3	11.02	2	1 N
PRXS1040/44	10 shallow	350/700	83	45	3	9.05	2	1 N
			STI	REET REFE	RENCE			
SRX1240/44	12	250/500	85	30	4.92	11.10	2	1 N
SRX1040/44	10	250/500	84	30	4.65	9.06	2	1 N
			STREET	REFEREN	CE SHALLOW	/		
SRXS1240/44	12 shallow	250/500	84	50	3.86	11.18	2	1 N
SRXS1040/44	10 shallow	250/500	84	40	3.30	9.22	2	1 N
				STREET E	DGE			
SE1240	12	200/400	87	27	5	11.03	1.5	1 N
SE1040	10	200/400	86.5	27	4.7	9.14	1.5	1 N
			MEMF	HIS XTRE	ME AUDIO			
MXA1244	12	250/500	87	48	4.95	11.2	2	1 N
MXA1044	10	250/500	86	48	4.5	9.3	2	1 N
		Administra		100	NEW YORK OF THE PARTY OF THE PA			



Add the high performance of Mojo Mini subwoofers to your vehicle in a convenient and stylish loaded enclosure. These ported enclosures feature an eye-catching high gloss piano finish front panel. The MJMED1T enclosure is designed specifically to fit behind most truck seats. Adding Mojo Mini performance to your vehicle has never been easier than with Mojo Mini loaded enclosures.











mojo mini loaded enclosures

Single 8" 900w/1800w @ 1Ω loaded enclosure Width 20.7", Height 12.7", Top 13.7", Bottom 16.2" MJME8S1

MJME6S1 Single 6.5" 700w/1400w @ 1Ω loaded enclosure Width 16.7" Height 10.7", Top 12.5", Bottom 15"

Dual 6.5" 1400w/2800w @ 1Ω loaded enclosure Width 30", Height 12.7", Top: 12.5", Bottom 15" MJME6D1

Dual 6.5" 1400w/2800w @ 1Ω loaded truck enclosure Width 34.6", Height 14.2", Top: 3.5" Bottom 7.5" MJME6D1T

- Piano black gloss finished front panel (except MJME6D1T)
- Carpet wrapped enclosure
- 4-layer wound copper voice coil
- Fiberglass reinforced subwoofer cone
- Stitched foam surround
- Heat dissipating aluminum heat sink
- **DVVC Direct Vent Voice Coil Cooling**
- Ported Enclosure
- MJMED1T designed to fit behind standard truck seats
- All Mojo Mini Enclosures are @ 1Ω



Power Reference Loaded Enclosures were designed to maximize the performance of your Power Reference subwoofers. Each box was engineered by our technicians at Memphis to the exact T/S parameters of Power Reference subwoofers.













- 3/4" MDF Ported Enclosure
- Dado groove construction
- Side loaded port
- · 2-tone embroidered carpeted exterior
- · High current nickel plated compression terminals
- 1Ω or 2Ω final load on dual sub models

loaded pr enclosures

PRXE12D2	Dual 12" 2Ω Encl 600/1200w
	Dimensions: 33.94" x 17.17" X 15.94"
PRXE12D1	Dual 12" 1Ω Encl 600/1200w
	Dimensions: 33.94" x 17.17" X 15.94"
PRXE10D2	Dual 10" 2Ω Encl 500/1000w
	Dimensions: 31.96" x 15.47" x 13.93"
PRXE12S2	Single 12" 2Ω Encl 300/600w
	Dimensions: 19.96" x 18.46" x 15.82"
PRXE10S2	Single 10" 2Ω Encl 250/500w
	Dimensions: 17.95" x 15" x 13.93"

Optional Grills: 15" - PRXG15 // 12" - PRXG12 // 10" - PRXG10



Memphis has a complete offering of slim solutions when space is a premium. The new improved Nanoboxx features a micro-thin profile allowing it to slide under practically any seat or trunk to bring big bass to any vehicle. Our new upgraded bass packages are available in two levels featuring our all new Power Reference slim subwoofers as well as Street Reference slim subwoofers for a solution that will meet everyone's needs.















slim bass systems & loaded enclosures

Nanoboxx Underseat Bass System

10" 200/400 Bass System SA110SPD

13.9" x 9.8" x 3.3"

MXA110SPD Same as above - with marine grade technology

Slim Powered Bass Systems

PRXS112SP

12" Power Reference 350w/700w Bass System 24.5" x 6.5" x 15.1"

SRXS112SP 12" Street Reference

250/500w Bass System 24.5"x 7.5" x 14.75"

Slim Loaded Enclosures (non powered)

PRXS110E

10" Power Reference 2Ω 350/700w Loaded Enc. 19.75" x 7.4" x 13"

features

Powered Slim Bass Systems

Single 12" woofer

Remote level control

High/low level input

Current sense auto turn-on

All in one bass system

Ported for maximum performance

Loaded Slim Enclosures (Non-Powered)

100% MDF enclosure

Shallow box for versatile fit

Ported for maximum performance

NANOBOXX Under Seat System

- Ultra compact design
- Oversized passive radiator
- Anodized aluminum enclosure
- Remote level control
- Efficient class-D amplifier built-in
- 0-12dB bass boost
- Low pass and subsonic filter



Street Reference Bass Packages were developed to provide big bass in a simple package. These packages are preloaded with SR amplifiers and the SR subwoofers. The ported enclosure provides exceptional bass output without breaking the bank. The SRX powered 8" bass tube, is a small but mighty tube can turn any trunk into the envy of the block.













features

Street Reference Bass Packages

- Woven tinsel leads
- 2" diameter heat treated aluminum Voice Coil
- 4 layer copper voice coil
- Slot port vented enclosure
- SRX112 includes SRX150.2 Amplifier
- SRX212 includes SRX250.1 Amplifier

Street Reference Bass Systems

- **Built in amplifier**
- Sealed design
- Embroidered carpet
- Bass level control included
- High and low level inputs

Street Reference Bass Tube

- Ported carpeted bass tube
- Integrated amplifier
- 8" high performance subwoofer
- Bass knob included
- High level RCA for easy integration
- Included placement straps for secure mounting

bass systems & enclosures

Street Reference Powered Bass Packages (Amplifier Included)

Dual 12" Bass System 500/1000w **SRX212** Dimensions: 31.75" x 15" x 15.75"

SRX112

Single 12" Bass System 250/500w Dimensions: 16.75" x 15" x 15.75"

Street Reference Powered Bass Systems (Amplifier Built-In)

12" 250w/500w Bass System SRX12SP

dimensions: 20" x 12.2" x 15.35"

10" 250w/500w Bass System SRX10SP

Dimensions: 16.75" x 10.25" x 13.2"

8" 200w/400w Bass System SRX08SP Dimensions: 14" x 9.05" x 10.83"

8" Bass Tube 150/300w SRX18SPT

21.3 L (Bottom) x 14.96" L (Top) x 9.8W x 9.8"H



Street Edge bass systems are the ideal simple solution to add bass to any vehicle on a budget. These party packs feature a loaded Street Edge enclosure with a powerful Street Edge amplifier in one ready to install kit. Street Edge products were designed to perform at a price point that anyone can afford.











Unloaded Enclosures

Memphis Audio Unloaded Enclosures were engineered to maximize the performance of your Subwoofers. Designed by our technicians at Memphis and built with a focus on quality, Memphis unloaded enclosures are an excellent choice for anyone looking to add powerful Memphis bass to their system.

street edge bass package & unloaded enclosures

Street Edge Powered Bass Packages (Amplifier Included)

SE210 Dual 10" loaded enclosure

Dimensions:

Width: 24.6", Height 11", Top: 8.7", Bottom 10.6"

Optional Grill: 10" - PRXG10

Unloaded Enclosures

PE1X10V2 10" Box 12" x 17" x 12" A/S .99FT3

PE1X12V2 12" Box 15" x 20" x 14" A/S 1.8FT3

PE1X15V2 15" Box 16" x 29.2" x 17" A/S 3.6FT3

PE2X10V2 Dual 10" Box 15" x 28" x 12.5" A/S 2.27FT3

PE2X12V2 Dual 12" Box 17.5" x 31" x 14" A/S 3.41FT3

features

Street Edge Bass Packages

- · Custom Street Edge embroidered enclosure
- Ported for Maximum performance and output
- Polypropylene SE branded cone
- Rubber surround
- 1.5" copper voice coil
- 27oz magnet
- Budget friendly option to bring bass to any vehicle
- DVVC Direct Vent Voice Coil Cooling
- SE2000.1 DF Amplifier Included

Unloaded Enclosures

- Custom embroidered enclosure
- Ported Design for maximum output



VIV SixFive Series component speakers are the product of over 50 years of audio engineering. These speakers represent a bold step into high end audio for Memphis. These are the cleanest sounding and most acoustically accurate speakers ever produced by Memphis. One listen and you will see what the hype is all about.



- Cast aluminum Six Five basket
- 2 layer composite fiber cone
- Versatile crossover settings
- · Aluminum housed silk tweeter
- Bi-ampable passive crossover (VIV60C)

sixfive series

VIV60C 6.5" Comp set | 2Ω 80/160w

VIV62 6.5" Coaxial Speakers | 2Ω 75/150



MClass components are the heart and soul of Memphis sound. Rich, clear and beautiful with exceptional accuracy is the standard with any MClass component. Bring your music to life and experience what Memphis is all about with one listen to our MClass line.



MClass Components

The demand for the warm rich sound of MC components resulted in the addition of both a 5x7" and 6x9" version allowing MClass sound to flow into even more applications.





mclass component

MClass Component Sets

 MCX69C
 6x9" Comp Speaker Set 60/120w

 MCX60C
 6.5" Comp Speaker Set 50/100w

 MCX57C
 5x7" Comp Speaker Set 50/100w

 MCXA1
 1" Aluminum Tweeter 50/100w

features

MClass Component Speaker Sets

- · Carbon fiber cone
- Oversized mid-bass driver
- · Multi-mount tweeter



MClass coaxial speakers offer the amazing acoustic performance of MClass line in a coaxial version. The rigid carbon fiber weave cone is light weight but stiff allowing accurate mid bass production at higher volumes which is balanced perfectly by the aluminum alloy swivel mount tweeter.





Mounting System

features

- MClip Crossover mounting solution
- 0/-3dB Tweeter adjustment
- Lightweight carbon fiber cone
- Swivel mount aluminum alloy tweeter

mclass coaxial

MCX69	6x9" Coax Speaker 60/120w
MCX60	6.5" O/S Coax Speaker 50/100W
мсх6	6.5" Coax Speaker 50/100w
MCX57	5x7" Coax Speaker 50/100w
мсх5	5.25" Coax Speaker 40/80w
MCX46	4x6" Coax Speaker 30/60w
мсх4	4" Coax Speaker 30/60w



Power Reference components are an amazing blend of performance and reliability. The warm rich sound combined with a variety of sizes make these components the perfect upgrade for most factory systems. Select sizes are now available for Toyota OEM Direct Fit applications











08-10 Toyota Highlander F 08-14 Toyota Land Cruiser F 10-14 Toyota Prius F 08-14 Toyota Sequoi 04-09 Toyota Solara 05-14 Toyota Tacoma 09-13 Lexus CT F 09-13 Lexus CT F
03-14 Lexus GX F
07-14 Lexus LS F
04-14 Lexus RX F
10-14 Toyota 4 Runne
03-09 Toyota 4 Runne
05-14 Toyota Avalon F
02-11 Toyota Carmy F
07-14 Toyota F) Cruise

09-13 Lexus CT R 02-05 Lexus ES F & R 06-11 Lexus 6S F 03-12 Lexus 6X R 01-12 Lexus IS F 06-12 Lexus IS R 99-03 Lexus RX F & R 03-09 Pontiac Vibe R 05-12 Scion TC F & R 04-07 Scion XA F & R 04-12 Scion XB F 08-12 Scion XB R 08-11 Scion XD F & R 08-11 SOON AD F & R
05-11 Toyota Avalon R
00-05 Toyota Celica F & R
01-12 Toyota Corolla F
00-05 Toyota Echo F
08-12 Toyota Highlander R
02-11 Toyota Matrix F & R
01-11 Toyota Prius F & R

01-11 Toyota R.AV4 F. & R 08-12 Toyota Sequoia F. & R 98-12 Toyota Semua F. & R 98-12 Toyota Semua F. & R 98-03 Toyota Solara F. 05-13 Toyota Tacoma R. 01-13 Toyota Tundra R. 03-06 Toyota Tundra F. 09-11 Toyota Veruza R. 07-12 Toyota Varis Lift Back R.

09-13 Lexus CT F
03-14 Lexus GX F
07-14 Lexus GX F
04-14 Lexus RX F
10-14 Toyota 4 Runne
05-14 Toyota A Runne
05-14 Toyota Avaion F
02-11 Toyota Carrry F
07-14 Toyota FI Cruse 08-10 Toyota Highlander F 08-14 Toyota Land Cruiser F 10-14 Toyota Prius F 08-14 Toyota Sequola F 04-09 Toyota Solara F 05-14 Toyota Tacoma F 07-14 Toyota Tundra F

09-13 Lexus CT R 02-06 Lexus SSF & R 02-106 Lexus SSF & R 03-12 Lexus GS R 01-12 Lexus ISF 06-12 Lexus ISF 99-03 Lexus RKF & R 03-09 Pontiac Vibe R 05-12 Sdon TC F & R 04-12 Scion XB F
08-12 Scion XB R
08-11 Scion XD F & R
06-11 Toyota Avalors R
00-15 Toyota Celica F & R
01-12 Toyota Corolla F
00-05 Toyota Echo F
08-12 Toyota Highlander R
02-11 Toyota Matrix F & R
01-11 Toyota Prius F & R 01-11 Toyota RAV4 F.R.R. 08-12 Toyota Sequoia F.R.R. 98-12 Toyota Sequoia F.R.R. 98-12 Toyota Seman F.R.R. 98-03 Toyota Sodra F. 05-13 Toyota Toyota Tacoma R. 00-13 Toyota Toyota Tundra F. 09-11 Toyota Venza R. 07-12 Toyota Yaris F. 07-12 Toyota Yaris F. 07-12 Toyota Yaris Uff Back R. 04-07 Scion XAF & R

Speakers will fit additional models not listed in this chart

power reference components

PRX690C 6x9" Comp Set 60/120w PRX570C 5x7" Comp Set 50/100w PRX60C 6.5" Comp Set 50/100w PRX50C 5.25" Comp Set 50/100w

Toyota direct fit OEM Speakers

6x9" Direct Fit Toyota OEM 60/120w PRXTY69C 6.5" Direct Fit Toyota OEM 50/100w PRXTY60C 6x9" Direct Fit Toyota OEM 60/120w PRXTY69 6.5" Direct Fit Toyota OEM 50/100w PRXTY60

features

Power Reference Component Speakers

- Butyl rubber surround
- Separate poly dome tweeter
- Separate crossover
- Perfect fit for OEM Factory applications

Toyota OEM Direct Fit Speakers

- Direct OEM fit for Toyota vehicles
- Plug & play connects to factory harness
- 4Ω impedance matched
- 25mm silk dome tweeter
- 2 Tweeters & 2 Mids Included in component versions
- Perfect fit for many applications



Engineered to produce amazing sound and sized to fit most factory locations, Power Reference coaxial speakers have been our flagship for decades. Excellent sound quality and easy integration make Power Reference a staple in the industry. The Power Reference line also includes a variety of shallow speaker sizes adding even more versatility than ever before.





Power Reference Coaxial Speakers

- Polyurethane surround
- · PEI dome tweeter
- Multi-direction pivot tweeter system for improved imaging
- Integrated 6dB crossover for tweeter
- Graphite reinforced polypropylene cone
- Rubber surround

Power Reference Shallow Coaxial Speakers

- Shallow mount design
- 2Ω impedance
- Perfect fit for Dodge/Chrysler, Toyota and other difficult shallow factory locations.

power reference coax

PR STANDARD SIZE COAXIAL

 PRX6903
 6x9" 3-way 6x9 60/120w
 PRXS69

 PRX6902
 6x9" 60/120w
 PRXS60

 PRX60
 6.5" O/S 50/100w
 PRXS57

 PRX602
 6.5" 3-way 50/100w

 PRX57
 5x7" 40/80w

 PRX5
 5.25" 30/60w

 PRX46
 4x6" 30/60w

PRX410 4x10" 50/100w PRX4 4" 20/40w PRX3 3.5" 15/30w

2.75" 15/30w

PRX27

PR SHALLOW COAXIAL

PRXS69 6x9" Shallow 50/100w PRXS60 6.5"O/S Shallow 40/80w PRXS57 5x7" Shallow 40/80w



If you need mids and highs to hang with the extreme lows of Memphis bass, you need MOJO Pro speakers. Bigger, stronger and louder than ever, MOJO Pro is now available in a full component set or individually to create the perfect audio set up for those who prefer it LOUD.



mojo pro

 MJP62C
 6.5" Component Speaker Set 125/250w

 MJP82
 8" Component Speaker 200/400w

 MJP62
 6.5" Component Speaker 125/250w

 MJPT
 Bullet Tweeter 100/200w

 MJPHT
 3.5" Tweeter 50/100w

features

MOJO PRO Component

- · High efficiency mid range and tweeter
- Multi application use
- Accordion cloth surround
- Billet phase plug
- Mesh Grills Included with 6" & 8" MOJO Pro

MOJO Components Sets

- Set includes MJP62 midrange, MJPHT tweeter and crossover.
- Mesh grills included with MJP62C component Set



Memphis Street Reference speakers offer impressive performance and value at a wallet friendly price. If you're looking to upgrade your audio system at a reasonable cost, SR speakers are the right choice for you. Looking for massive sound? Check out the new line of SR Pro speakers.







SRX Component Speakers

- Butyl rubber surround
- Separate poly dome tweeter
- Separate crossover
- Perfect fit for OEM Factory applications
- Optional grills sold separately

SRX Coaxial Speakers

- Efficient paper cone
- Mylar tweeter
- Lightweight foam surround
- Slim mounting depth
- Optional grills sold separately

street reference speakers

Street Reference Component Speaker Set

SRX60C 6.5" O/S Comp speaker set 50/100w

Street Reference Coaxial Speakers

Street Referen	ce coaxiai speakers
SRX693	6x9" Coax Speaker 50/100w
SRX62	6.5" Coax Speaker 30/60w
SRX572	5x7" Coax Speaker 30/60w
SRX52	5.25" Coax Speaker 25/50w
SRX462	4x6" Coax Speaker 25/50w
SRX42	4" Coax Speaker 20/40w
SRX1	1" Tweeter 20/40w

Optional Grills: SRXG42, SRXG52, SRXG62, SRXG693



Street Reference Pro speakers were designed specifically to handle maximum power and perform at extreme volume. When you are looking to build a system that absolutely screams. SR Pro speakers are now available in a 6.5" coaxial set making it easier than ever to add pro audio to your vehicle.





street reference pro

Street Reference Pro Components

SRXP62C 6.5" Pro Component Set 125/250w Includes 2 SRXP62, 2 SRXPT, 2 Crossovers SRXP82 8" Pro Component Speaker 175/350w SRXP62 6.5" Pro Component Speaker 125/250w

SRXPT 4" Pro Tweeter Pair 100w/200w

Street Reference Pro Coaxials

SRXP82WT 8" Pro Coaxial Speaker 175/300w
SRXP62WT 6.5" Pro Coaxial Speaker 125w/250w

STREET Reference Pro Coaxial Speakers SRXP82WT SRXP82WT SRXP62WT

features

Street Reference Pro Components

- Ultra-light treated paper cone high SPL speaker
- Cloth treated surround for high SPL
- Accordion design for increased excursion and output
- 1.5" VC for higher power handling
- · Center phase plug for improved high frequency response
- 6.5" now available in a component set (SRXP62C)

Street Reference Pro Coaxial

- Lightweight paper cone and treated cloth surround
- Integrated 6dB mylar crossover for maximum efficiency
- 1.5" voice coil on mid range for high power handling

30

Model Number	Size (in)	RMS/Peak (w)	Sensitivity (dB)	Mounting Depth (in)	Magnet Size (oz)	Warranty (yrs) Extended (Y/N)	Grill Included
	VIV SIXFIVE SERIES						
VIV60C	6.5	80/160	90	2.95	20	2 Y	N
VIV62	6.5	75/150	90	2.95	20	2 Y	N
MCX60S	6.5 O/S	65/130	88	MC MCLASS 2.58	17	2.4	Y
MCX69C	6.5 O/S 6x9	60/120	91	3	13 13	2 Y 2 Y	Y
MCX60C	6.5 O/S	50/100	89	2.5	13	2 Y	Ÿ
MCX57C	5 x 7	50/100	88	2.125	10	2 Y	N
MCXAI	1	50/100	88	.6875	.37	2 Y	-
MCX69	6x9	60/120	91	3	13	2 Y	Y
MCX60	6.5 O/S	50/100	89	2.5	10	2 Y	Y
MCX6	6.5	50/100	89	2.25	10	2 Y	Y
MCX57 MCX5	5x7 5.25	50/100 40/80	88 88	2.125	10 10	2 Y 2 Y	N Y
MCX46	4x6	30/60	87	2.125	10	2 Y	N
MCX4	4	30/60	87	1.75	8	2 Y	Ÿ
			M	ЈР МОЈО PRO	* -		
MJP62C	6.5	125/250	95	3.07	35	1 N	Y
МЈР82	8	200/400	95	3.66	40	1 N	Y
МЈР62	6.5	125/250	95	3.07	35	1 N	Y
МЭРТ	3.5	100/200	93	1.5	*	1 N	-
МЭРНТ	3.5	50/100	105 PR P	2.2 OWER REFERENCE	8	1 N	
PRX690C	6x9	60/120	90	3	14	1 Y	Y
PRX570C	5x7	50/100	89	2.125	10	1.Y	N
PRX60C	6.5	50/100	88	2.5	10	1 Y	Y
PRX50C	5.25	50/100	88	2.125	10	1 Y	Y
PRX10	1_	50/100	87	.75	0.75	1 Y	2
PRX6903	6x9	60/120	90	3	14	1 Y	Y
PRX6902 PRX60	6x9 6.5 O/S	60/120 50/100	90 88	3 2.50	14 10	1 Y 1 Y	Y
PRX603	6.5	50/100	88	2.25	10	1 Y	Ý
PRX602	6.5	50/100	88	2.25	10	1 Y	Y
PRX57	5x7	40/80	88	2.125	10	1 Y	N
PRX5	5.25	30/60	87	2.125	9	1 Y	Y
PRX46	4x6	30/60	86	2.125	11	1 Y	r
PRX410	4x10	50/100	89	2.5	13	1 Y	Y
PRX4	4	20/40	86	1.75	8	1 Y	Y
PRX3 PRX27	3.5 2.75	15/30 15/30	87 85	1.5 1.25	7 3	1 Y	N
PRXS69 Shallow	6x9 Shallow	50/100	88	2.29	11	1 Y	Y
PRXS60 Shallow	6.5 O/S Shallow	40/80	86	1.89	10	1 Y	Y
PRXS57 Shallow	5x7 Shallow	40/80	87	2.05	10	1 Y	Y
PRXTY69C	6x9 Direct Fit	60/120	90	Toyota Specific	20	1 Y	N
PRXTY60C	6.5" Direct Fit	50/100	88	Toyota Specific	10	1 Y	N
PRXTY69	6x9 Direct Fit	60/120	90	Toyota Specific	20	1 Y	N
PRXTY60	6.5" Direct Fit	50/100	88 SR S	Toyota Specific TREET REFERENCE	10	1 Y	N
SRX60C	6.5 O/S	50/100	88	2	11.2	1 N	N
SRX693	6x9	50/100	90	3	16.6	1 N	N
SRX62	6.5	30/60	88	2	11.2	1 N	N
SRX572	5x7	30/60	90	2.25	7.5	1 N	N
SRX52	2.25	25/50	88	2	5.4	1 N	N
SRX462	4x6	25/50	86	2	5.4	1 N	N
SRX42 SRX1	4 1	20/40 20/40	88 97	2 Surface	5.4	1 N 1 N	N Y*
SRXP82 PRO	8	175/350	95	2.85	28	1 N	N
SRXP62/62C PRO	6.5	125/250	94	2.44	22	1 N	N
SRXPT PRO	4" Tweeter	100/200		2.22	5.2	1 N	Υ•
SRXP82WT	8	175/350	95	3.15	25	1N	Y
SRXP62WT	6.5	125/250	94	2.87	20	1N	Υ
MXA80L	8	60/120	89	MPHIS XTREME AUDIO 3.35	14	1 N	Y
MXA69L	6x9	60/120	89	3.27	14	1 N	Y
MXA60L	6.5	50/100	88	2.5	10	1 N	Ý
MXA602SLB/SLW	6.5	40/80	85	2.91	10	1 N	Y*
MXA62HD	6.5	75/150	93	2.3	Neodymium	1 N	Υ
				PEAKERS & SOUNDBAR		Warment MOS	
Model Number	Size	RMS/Peak	Impedance	Dimensions	Clamp Fit	Warranty (YRS) Extended (Y/N)	Grill Included
MXA82TG/TW	8	150/300	4	13.5 x 10	1.75" to 3"	2 N	Υ•
MXA62TG/TW	6.5	100/200	2	11.07 x 8.26	1.75° to 3°	2 N	Υ-
MXA60TB	6.5	75/150	4	11.07 x 8.26	1.75" to 3"	2 N	Υ.
MXA62PS MXA46SB28	6.5 28	75/150 300	4	7.48 x 6.5 6.8 x 3 x 28.5	1.5" to 2.25"	2 N 1 N	Α.
MXA46SB28 MXASB35	28 35	300		6.8 x 3 x 28.5 35.75 x 3.5 x 3.9	1.5" to 2.25" 1.5" to 2.25"	1 N	Ÿ
MXASB33	20	200	2	21.3 X 3.5 x 3.9	1.5" to 2.25"	1 N	Y
мхавмв/с	3	25/50 EACH	4	4.125 x 4.44	1.25	1 N	γ•
	The state of the s		THE STATE OF THE	HIDITIS TELLIN		THE RESERVE	



Memphis Xtreme Audio amplifiers were engineered to take on the most extreme environments. Whether you need power to kick sound from a wake tower or want to keep the party going at the dunes, MXA amplifiers are designed to withstand whatever you throw at them.



memphis xtreme amps

MXA Marine "M" Amplifiers

MXA850.5M 5-CH 4 x 100(w) @ 2Ω + 1 x 450(w) @ 1Ω

MXA480.4M 4-CH 4 x120(w) @ 2Ω MXA600.1M 1-CH 1 x 600(w) @ 1Ω

MXA Powersports Amplifiers

MXA5.600 5-CH 4 x 75 + 300 x 1@ 2Ω MXA600.4 4-CH 4 x 150(w) @ 2Ω MXA300.4 4-CH 4 x 75(w) @ 2Ω MXA300.2 2-CH 2 x 150(w) @ 2Ω MXA300.1 1-CH 1 x 300(w) @ 2Ω MXA Mini Powersports Amplifiers

MXA200.4S 4-CH 4 x 50(w) @ 2Ω MXA100.2S 2-CH 2 x 50(w) @ 2Ω

features

MXA Marine Amps (part number ending in "M")

- · Water/Element resistant conformal coated circuit board
- · Efficient Class D design
- Variable subsonic and bass boost (600.1M & 850.5M)
- Remote level control included (600.1 M)
- Cabin/tower/sub 3-channel remote included (MXA850.5M)

MXA Powersports Amps

- Compact design
- · Water/element resistant & conformal coated board
- IP66 rated

Mini Powersports Amps

- Sealed gain pots and harness
- IP66 rated
- Ultra small micro amp design



Aggressive stylish grill styles with removable mesh inserts come standard in both gunmetal and white to match any marine or powersports application. Set your boat or side-by-side apart with big sound illuminated by RGB LED lights and keep the party going all night long!













MXA High Performance W/ Spoke Style RGB LED Optional Grill

- Gunmetal & white grills with removable mesh included
- RGB LED Light ring ready grills
- Swivel mount aluminum tweeter
- Injection molded poly cone
- Butyl rubber surround
- High temp ABS composite basket
- UV Coated, water and element resistant

MXA Speaker w/ Blue LED

- UV, element and water resistant
- Protective permanent grill.
- Injection molded poly cone Equipped with blue LED

- MXA80L 8" Coax RGB LED Speaker 60/120w MXA69L 6x9" Coax RGB LED Speaker 60/120w MXA60L 6.5" Coax RGB LED Speaker 50/100w

MXA Speaker w/ Blue LED included

MXA602SLB 6.5" Black Coax LED Speaker 40/80w MXA602SLW 6.5" White Coax LED Speaker 40/80w

memphis xtreme speakers MXA High-Performance w/ RGB LED Included



Memphis tower speakers received a major upgrade as well as a few new members of the family. Compression horn tower speakers cast massive sound to the end of a wake and now feature a bold new grill design equipped with RGB LED standard in all sizes. Our new Coax tower speakers utilize a traditional tweeter for a more musical sound while the new powersport pods feature a compact design perfect for side-by-sides.

ompression Horn Tower Speakers









mxa tower speakers & pods

MXA Compression Horn Tower Speakers

8" 4Ω Gray (G) or White (W) 150/300w MXA82TG/TW

6.5" 2Ω Gray (G) or White (W) 100/200w MXA62TG/TW

MXA Coaxial Tower Speaker

6.5" 4Ω Black 75/150w coax tower MXA60TB

MXA Powersports Speaker Pods

MXA62PS 6.5" 4Ω Black 75/150w powersports pod

features

MXA Compression Horn Tower Speakers

- Available in gunmetal or white finish
- Compression horn tweeter design
- Water, element & UV resistant (IP66)
- Adjustable aluminum hardware w/ 360° EZ swivel mount
- RGB LED included in both 6.5" & 8" versions

- Water and UV resistant (IP66)
- Polypropylene woofer & PEI dome tweeter
- Adjustable aluminum hardware w/ 360° EZ swivel mount
- RGB LED included

- Water, element & UV resistant (IP66)
- Polypropylene woofer and PEI dome tweeter
- Adjustable aluminum hardware w/ 360° mount Compact design perfect for powersports applications
- RGB LED included



MXA Subwoofers are available in 10" and 12" versions which bring massive bass to any extreme application. The high temperature ABS basket offers extreme durability and weather resistance. All MXA subwoofers include gunmetal speaker grills with integrated RGB LED lighting to keep the party going when the sun goes down. Optional white or black grills are also available.







Memphis Xtreme Subwoofers

- RGB LED Lighting included
- Gold plated terminals
- Polypropylene UV resistant cone
- High temperature ABS corrosion resistant plastic basket
- UV Resistant high impact gray grill included
- Optional black and white grills available

MXA Xtreme NanoBoxx

- Marine grade construction IP66
- Ultra compact design
- Oversized passive radiator
- Anodized aluminum enclosure
- · Remote level control
- · Efficient class-D amplifier built-in
- 0-12dB bass boost
- Low pass and subsonic filter

mxa subs & led accessories

Memphis Xtreme Subwoofers

MXA1244 12" 4Ω DVC 250/500w MXA1044 10" 4Ω DVC 250/500w

Optional Grills:

12" MXA12GW & MXA12GB // 10" MXA10GW & MXA10GB

Memphis Xtreme Nanoboxx

MXA110SPD 10" 200/400 Bass System

13.9" x 9.8" x 3.3"



Hit the trails with extreme sound! These are the best performing soundbars on the market. Our 20" and 35" soundbars feature passive radiators which churn out massive mid bass. The all new MXA46SB28 overhead soundbar can be controlled via an app on your phone allowing you to adjust EQ settings, control the integrated RGB LED lighting, set AM/FM radio presets and more making it the most innovative soundbar on the market.



Memphis Xtreme Overhead Soundbar

28" Overhead App controlled 300/600w Soundbar MXA46SB28

Memphis Xtreme Traditional Powersports Soundbars

MXASB35 35" Soundbar 300w

MXASB20V2 20" Soundbar 200w

- 8-Speaker system: 4-6.5" mids, 4 tweeters

- RGB LED speakers
 IP66 Water and element resistant
 App controls: EQ, fade, balance, RGB color, subwoofer

- output, preset programing and more AM/FM/Weatherband AUX in USB Charging 6-Channel output: Sub/Front/Rear
- 5 Volt pre amp outputs

phis Xtreme Traditional Powersports Soundbars Passive radiators for enhanced mid bass

- Water and element resistant
- Self powered plug & play solution
- AUX input
- 2-Channel outputs



Bring huge sound to your motorcycle or powersports system with the best performing bullet style powersports speaker kits. These kits are available in both black or chrome finish. Available in both Bluetooth and non Bluetooth versions, these kits feature a small but mighty Memphis mini amplifier. This highly versatile kit includes both post mounts and mirror mounts allowing you to bring BIG sound to the road or to the trails,

















features













memphis xtreme speakers & LED

- Speaker Powersports Kits
 2 Bar clamp mounts and 2 post mounts included
 Oversized 15oz magnet for improved low end response
 Water resistant speaker housings
 MXA1 00.2S 50w 2-channel amplifier included
 Black or Chrome versions available
 MXABTR Bluetooth controller included on "BT" models

- Music mode (MXALEDBT only)
 Million color combinations (MXALED BT only)
 10 individual 4.5" strips w/ 60 total RBC LEDs
 9 Speed flashing and fade modes (MXALEDBT only)
 Slim easy hidden control box
 Optional wired remote control (MXALEDBT only)
 Last function memory
 4-button key chain remote (MXALEDFOB only)

- Upgrades existing MXA woofers and speakers to LED 20 Different vibrant LED light colors Mounts directly to backside of MXA grills listed above
- Controller adjusts color, brightness, flash & fading

MXA Bar Mount Powersports Kit w/ Bluetooth

MXABMB2BT Black 2-speaker set w/ Bluetooth

MXABMC2BT Chrome 2-speaker set w/ Bluetooth MXA Bar Mount Powersports Kit W/ Out Bluetooth

MXABMB2 Black 2-speaker set **Memphis Xtreme LED Lighting Accessories**

MXALEDBT Bluetooth LED Kit (iPhone/Android)

MXALEDFOB Key chain LED Kit

1 LED ring for MXA 10" & 12" subs MXALEDSB1 MXALEDSP2 2 LED rings for MXA6"/8"/6x9"

MXALEDCTR 20 color remote controller for LED lights











MXAMCAPP

CLASSIC CARS & HOT RODS

MARINE APPLICATIONS









The Headless Unit

This innovative hideaway system gives you the complete experience of a head unit without the need to alter your vehicles dash. Much more than a simple Bluetooth controller, this is an entire head unit packed into a hideaway box. The MXAMCAPP features a built-in 50x4 amplifier, 5 source options, and front/rear/subwoofer RCA outputs allowing you to build your entire system directly off the unit. The hideaway box is controlled via the Memphis app allowing you to control your EQ, AM/FM presets, control RGB LEDs and more. The attached wired remote fits in standard knock out locations but is not required. This is the ultimate for powersports, marine, hot rod and classic car audio integration where you don't want to alter the appearance of your dash.

features

MXAMCAPP - Headless Unit

- 5 Source Options: AUX/BT/AM/FM/WB
- **USB** charging
- 50W x 4 built-in amplifier
- RGB LED control output
- Front/Rear/Subwoofer RCA output
- 5 Volt pre-amp output
- Conformal coated PCB IP66 Rated
- Wired remote fits standard rocker
 - Wired remote buttons illuminate

APP CONTROLS The following:

- **RGB** setting
- Custom EQ settings
- Balance/Fade
- AM/FM Presets Controls Radio search settings
- Manual/Seek/Presets





MXA source units offer the perfect solution for all your entertainment needs. Our newest addition the MXAZ24MC features front, rear and subwoofer outputs with multi-zone control, video inputs and a multi band EQ allowing you to build the ultimate audio system for your boat or side-by-side. Up to 2 optional MXA1MCR remote controls can be added to this unit allowing you to control your audio system from multiple locations.





XAZ24MC Multi-Zone W/ Sub Control

Take ultimate control of your audio system with the MXAZ24MC media center. The multi-zone control feature allows users to separately control cabin zone and tower zone speakers while also maintaining independent subwoofer level control. The large TFT LCD display offers crystal clear viewing and features a night mode for comfortable operation when the sun goes down. The uniit features a video input allowing backup cameras to be connected. You can easily stream music via Bluetooth, AUX or USB or tune into AM/FM radio.







mxa source units

App Controlled Media Center

App controlled hideaway media center **MXAMCAPP**

(see previous page for details)

Multi-Zone Media Center W/ Subwoofer Control

Rectangular Bluetooth Dual Zone MXAZ24MC

Media center

Traditional Gauge Radio Media Center

MXA1MC Round Bluetooth Gauge Media Center

Traditional Gauge Radio Media Center

MXA1MCR Remote Control for Memphis Media

features

Z24MC - Multi-Zone Media Center With Subwoofer Control Dual zone with independent sub control

Dual zone with independent sub con 3" TFT wet bonded color LCD display Video Input Built in 4x50W amplifier IP66 waterproof design EEPROM memory 18 FM Presets/12 AM Presets

3 pair RCA pre-outputs - Front/Rear/Sub Auto dimmer w/ day/night mode Optional wired remote - MXA1MCR

AM/FM. USB, Bluetooth and AUX inputs

- Rotary volume control AM/FM multi-region tuner Bluetooth audio streaming w/ easy pair Rear AUX & USB (charge & flash drive)
- Front/rear/subwoofer outputs EEPROM virtual memory

50 watts x 4-CH

MXAZ24MC / MXA1MC Remote Control

- Controls volume, mute, track, source 25ft cable
- Water and element resistant 2 remotes can be used at the same time (Y cable required) Manual/Seek/Presets



In a world of instantaneous streaming content, we know how important it is to be able to access your music when and where you want. Our line of weather resistant Bluetooth controllers and devices gives you the flexibility to take your music anywhere life's adventures take you.











MXABTAC

MXABTRK

features

MXABTRX - BT Controller w/ AUX, USB & BT

- AUX, USB and USB streaming USB Charging and flash drive play
- Water and element resistant 5V Output
- Flush, surface mount or bar mount
 MXABTR BT Controller w/ BT Only
- Streams from any Bluetooth device
- Water and element resistant
- · Flush, surface mount or bar mount
- Amp turn on output
- 5V output

MXABTAC - Bluetooth Streaming Device

- Streams from any Bluetooth device
- Micro-sized for easy concealment
- Adds Bluetooth streaming to any amp

MXABTRK - Rocker Bluetooth Controller

- Controls volume, track, pause & AUX
- Mounts into standard rocker/Carling switch opening
- 3.5mm connections for main output & AUX input
- Volume controls BT & AUX
- Remote output turns amplifier on/off
- Bluetooth version 4.1

MXAUSBA Rocker AUX/USB Input

- Fits directly into standard Carling/rocker switch opening
- Creates an in-dash AUX/USB input
- Includes 1 meter of RCA and USB extension cable to connect to your AUX/ USB inputs
- Dims: 0.83 x 1.45"

mxa bluetooth solutions

Bluetooth Solutions

MXABTRX Bluetooth Control w/ AUX & USB

MXABTR Bluetooth Only Control

MXABTAC Bluetooth Streaming Device

MXABTRK Rocker Switch Bluetooth Controller

AUX/USB Rocker Switch Input

MXAUSBA Rocker Switch AUX/USB Input





NEW & IMPROVED DESIGN, IMPROVED WIRING, IMPROVED RELIABILITY









WHATS IN THE TOP?

TOP TYPE	LEVEL	# OF SEATS	SOURCE UNIT	SPEAKER TYPE	AMPLIFIER	SUBWOOFER
CORE 2	GOOD	2	MXA1MC	MXA602SLB	-	8.00
PRO 2	BETTER	2	MXAMCAPP	MXA60L	MXA2.140	-
PRO 2 + Sub	BEST	2	MXAMCAPP	MXA60L	MXA5.600	SRXS1044
CORE 4	GOOD	4	MXA1MC	MXA602SLB	-	-
PRO 4	BETTER	4	MXAMCAPP	MXA60L	MXA4.45	8,50
PRO 4 + Sub	BEST	4	MXAMCAPP	MXA60L	MXA5.600	SRXS1044



NEW & IMPROVED DESIGN, IMPROVED WIRING, IMPROVED RELIABILITY

		OLADIS DOOF	ALIDIO SOLUTIO	NE		
PART NUMBER	SERIES		AUDIO SOLUTIO SPEAKER	NS SPKR OTY	AMPLIFIER	SUBWOOFE
GENERAL 2 SEATER SEATE	The state of the s	SSORGE SIN	AC MAISHUS:	OF THE STATE	2013/18/01/21/01/32	5051100112
GEN21KCORE	2-CORE	MXA1MC	MXA602SLB	4		
GEN21KPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
GEN21KPROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
GENERAL CREW 4 SEATER						
GEN41KCORE	4-CORE	MXA1MC	MXA602SLB	4		
SEN41KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
GEN41KPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
RANGER 570 (ROUND CAG			AND TOTAL STREET, THE TOTAL ST			
RGR2570CORE	2-CORE	MXA1MC	MXA602SLB	4		
RGR2570PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
RGR2570PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
RANGER 570 CREW (ROUN	No. 2022 (1927)					
RGR4570CORE	4-CORE	MXA1MC	MXA602SLB	4	- W. Carlot C. W. Carlot C.	
RGR4570PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
RGR4570PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
RANCER XP 2 FULL SIZE (F						
RGR2CORE	2-CORE	MXA1MC	MXA602SLB	4	V2.320 1/12/2010	
RGR2PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
GR2PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ANGER XP 2 MIDSIZE (FL	HEAT OF SHARP SHAPE AND ADDRESS OF THE SHAPE A	F B THE RESIDENCE STORY	Farm Street Street Street			
GR2MCORE	2-CORE	MXA1MC	MXA602SLB	4		
RGR2MPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
GR2MPROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ANGER XP 4 CREW FULL						
RGR4CORE	4-CORE	MXA1MC	MXA602SLB	4		
GR4PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
GR4PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
ANGER XP 4 MIDSIZE CRE	EW (FLAT CAGE) 4 SEATE	R				
GR4MCORE	4-CORE	MXA1MC	MXA602SLB	4		
GR4MPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
GR4MPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
ZR 1000 2 2014-UP/RZR90	00 2015-UP 2 SEATER					
ZR291KCORE	2-CORE	MXA1MC	MXA602SLB	4		
ZR291KPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ZR291KPROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ZR 1000 4 2014-UP/RZR 9	00 4 2015-UP 4 SEATER					
ZR491KCORE	4-CORE	MXA1MC	MXA602SLB	4		
ZR491KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
ZR491KPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
ZR 800/900 2008-2014/RZ	R570 2015-UP 2 SEATER					
ZR2895CORE	2-CORE	MXA1MC	MXA602SLB	4		
ZR2895PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ZR1000 TURBO 2 2019-UP	2 SEATER					
RZR21KTCORE	2-CORE	MXA1MC	MXA602SLB	4		
RZR21KTPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ZR21KTPROP	2-PRO PLUS SUB	10/11/01 00	MXA60L	4		
		MXAMCAPP	AND DESCRIPTION OF THE PARTY OF		MXA5.600	SRXS1044
		MXAMCAPP			MXA5.600	SRXS1044
			AUDIO SOLUTION		MXA5.600	SRXS1044
			AUDIO SOLUTIOI		MXA5.600	SRXS1044
MAVERICK X3 2 SEATER			AUDIO SOLUTION		MXA5.600	SRXS1044
MAVERICK X3 2 SEATER IX32CORE	C	ANAM ROOF		NS	MXA5.600 MXA2.140	SRXS1044
MAVERICK X3 2 SEATER X32CORE X32PRO	2-CORE	MXATMC	MXA602SLB	4		SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP	2-CORE 2-PRO 2-PRO PLUS SUB	MXATMC MXAMCAPP	MXA602SLB MXA60L	NS	MXA2.140	
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT	2-CORE 2-PRO 2-PRO PLUS SUB	MXATMC MXAMCAPP	MXA602SLB MXA60L	NS	MXA2.140	
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT	2-CORE 2-PRO 2-PRO PLUS SUB	MXA1MC MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA60L	4 4	MXA2.140	
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO	MXATMC MXAMCAPP MXAMCAPP MXATMC	MXA602SLB MXA60L MXA60L MXA602SLB	4 4 4	MXA2.140 MXA5.600	SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB	MXA1 MC MXAMCAPP MXAMCAPP MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L	4 4 4 8	MXA2.140 MXA5.600 MXA4.45	SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB	MXA1 MC MXAMCAPP MXAMCAPP MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L MXA60L	4 4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45	SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE	MXA1MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L MXA60L MXA60L	4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600	SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2CORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO	MXA1MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L	4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600	SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2PRO	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB	MXA1MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L MXA60L MXA60L	4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600	SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP LAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP LAVERICK TRAIL 2 SEATER ITR2CORE ITR2PRO ITR2PROP LAVERICK/COMMANDER 2	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB	MXA1MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L	4 4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600	SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITTR2CORE ITTR2PROP IAVERICK/COMMANDER 2 ICO2CORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB	MXATMC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXATMC MXAMCAPP MXATMC MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L	4 4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2PROP ITR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2CORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB E SEATER 2-CORE	MXA1 MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXA1 MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L	4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA2.140	SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PROP IAVERICK TRAIL 2 SEATER ITT2CORE ITT2PRO ITT2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2CORE ICO2CORE ICO2CORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB E SEATER 2-CORE 2-PRO 2-PRO PLUS SUB	MXATMC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXATMC MXAMCAPP MXATMC MXAMCAPP MXAMCAPP MXAMCAPP	MXA602SLB MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L	4 4 4 4 8 6	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2PRO ITR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2CORE ICO2PROP IAVERICK/COMMANDER 4	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB SEATER 2-CORE 2-PRO 2-PRO PLUS SUB	MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L	4 4 4 8 6 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA2.140	SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PRO MAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP MAVERICK TRAIL 2 SEATER ITTR2CORE ITTR2PRO ITTR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2CORE ICO2PROP IAVERICK/COMMANDER 4 ICO4CORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB	MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L	4 4 4 4 8 6 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2CORE ICO2PROP IAVERICK/COMMANDER 4 ICO4CORE ICO4PRO	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB 2-EATER 2-CORE 2-PRO 2-PRO PLUS SUB 4-EATER 4-CORE 4-PRO	MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 8	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER X32CORE X32PRO X32PRO X32PROP AVERICK X3MAXX 4 SEAT X34CORE X34PROP AVERICK TRAIL 2 SEATER TR2CORE TR2PROP AVERICK/COMMANDER 2 CO2CORE CO2PRO CO2PROP AVERICK/COMMANDER 4 CO4CORE CO4PRO CO4PROP	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB 2-ECORE 2-PRO 2-PRO PLUS SUB 3-ESEATER 4-CORE 4-PRO 4-PRO PLUS SUB 4-PRO PLUS SUB	MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L	4 4 4 4 8 6 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2PROP ICO2PROP ICO4PROP ICO4P	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB R SEATER 2-CORE 2-PRO 2-PRO PLUS SUB R SEATER 4-CORE 4-PRO 4-PRO PLUS SUB	MXAT MC MXAMCAPP MXAT MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAT MC MXAMCAPP MXAT MC MXAMCAPP	MXA602SLB MXA60L MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITTR2CORE ITTR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2PROP IAVERICK/COMMANDER 4 ICO4CORE ICO4PROP IC	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB 2-EATER 2-CORE 2-PRO 2-PRO PLUS SUB 3-EATER 4-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE	MXA1 MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXA1 MC MXAMCAPP	MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITR2CORE ITR2PROP IAVERICK/COMMANDER 2 ICO2CORE ICO2PRO ICO2PROP IAVERICK/COMMANDER 4 ICO4CORE ICO4PRO ICO4PROP ICO4P	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB 2-SEATER 2-CORE 2-PRO 2-PRO PLUS SUB 3-SEATER 4-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE	MXAT MC MXAMCAPP MXAT MC MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAMCAPP MXAT MC MXAMCAPP MXAT MC MXAMCAPP	MXA602SLB MXA60L MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITT22CORE ITT22PRO IAVERICK/COMMANDER 2 ICO2CORE ICO2PROP IAVERICK/COMMANDER 4 ICO4CORE ICO4PROP ICO4PROP AN AM DEFENDER 2 SEAT IEF21KCORE IEF21KCORE IEF21KCORE IEF21KCORE IEF21KCORE	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB 2-SEATER 2-CORE 2-PRO 2-PRO PLUS SUB 3-SEATER 4-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE	MXA1 MC MXAMCAPP	MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER IX32CORE IX32PRO IX32PRO IX32PROP IAVERICK X3MAXX 4 SEAT IX34CORE IX34PRO IX34PROP IAVERICK TRAIL 2 SEATER ITTR2CORE ITTR2PRO IAVERICK/COMMANDER 2 ICCO2CORE ICCO2PROP IAVERICK/COMMANDER 4 ICCO4CORE ICCO4CORE ICCO4PRO	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB E SEATER 2-CORE 2-PRO 2-PRO PLUS SUB E SEATER 4-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE 2-PRO 4-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB	MXA1 MC MXAMCAPP	MXA602SLB MXA60L MXA60L MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600 MXA4.45 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044
MAVERICK X3 2 SEATER MX32CORE MX32PRO MX32PROP MAVERICK X3MAXX 4 SEAT MX34PROP MAVERICK TRAIL 2 SEATER MTR2CORE MTR2PROP MAVERICK/COMMANDER 2 MCO2CORE MCO2CORE MCO2PROP MAVERICK/COMMANDER 4 MCO4CORE MCO4PROP MC	2-CORE 2-PRO 2-PRO PLUS SUB TER 4-CORE 4-PRO 4-PRO PLUS SUB R 2-CORE 2-PRO 2-PRO PLUS SUB 2-SEATER 2-CORE 2-PRO 2-PRO PLUS SUB 3-SEATER 4-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE 4-PRO 4-PRO PLUS SUB TER 2-CORE	MXA1 MC MXAMCAPP	MXA602SLB MXA60L	4 4 4 8 6 4 4 4 4 4 4	MXA2.140 MXA5.600 MXA4.45 MXA5.600 MXA2.140 MXA5.600 MXA2.140 MXA5.600	SRXS1044 SRXS1044 SRXS1044 SRXS1044



			AUDIO SOLUTIO			
PART NUMBER	SERIES	SOURCE UNI	T SPEAKER	QUANTITY	AMPLIFIER	SUBWOOFE
HONDA 500 2 SEATER						
HND25CORE	2-CORE	MXA1MC	MXA602SLB	4		
HND25PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
HONDA 500 CREW 4 SEATE						
HND45CORE	4-CORE	MXA1MC	MXA60L	4		
HND45PRO	4-PRO	MXAMCAPP	MXA602SLB	8	MXA4.45	
HONDA 700 2 SEATER			Walter Control			
HND27CORE	2-CORE	MXA1MC	MXA60L	4		
HND27PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
HONDA 700 CREW 4 SEATE				.,		
HND47CORE	4-CORE	MXA1MC	MXA602SLB	4		
HND47PRO	4-PRO	MXAMCAPP	MXA60L	S	MXA4.45	
HONDA 1000-3 2 SEATER			WW-5140-11-1			
HND21KCORE	2-CORE	MXA1MC	MXA60L	4		
HND21KPRO	2-PRO	MXAMCAPP	MXA602SLB	4	MXA2.140	
HONDA 1000-5 4 SEATER						
HND41KCORE	4-CORE	MXA1MC	MXA60L	4		
HND41KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
HND41KPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
	KΔ	WASAKI POOL	AUDIO SOLUT	ONS		
ALL P. P.V. O. CR. LAND.	IVA	MACAINI ROO	AODIO SOLOTI			
MULE FX 2 SEATER	2.CODE	MYATMO	MVAGOZGID			
MUL2FXCORE	2-CORE	MXA1MC	MXA602SLB	-	MVACTIO	
MUL2FXPRO	2-PRO	MXAMCAPP	MXA60L	6	MXA2.140	
MULE FXR 2 SEATER			A	1,500		
MUL2FXRCORE	2-CORE	MXA1MC	MXA602SLB	4		
MUL2FXRPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
MULE FXT 4 SEATER						
MUL4FXTCORE	4-CORE	MXA1MC	MXA602SLB	4		
MUL4FXTPRO	4-PRO	MXAMCAPP	MXA60L	4	MXA4.45	
TERYX 2 2014 - UP 2 SEATE	R					
TRX2CORE	2-CORE	MXA1MC	MXA602SLB	8		
TRX2PRO	2-PRO	MXAMCAPP	MXA60L	6	MXA2.140	
TRX2PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
TERYX 4 2014 - UP 4 SEATE	R					
TRX4CORE	4-CORE	MXA1MC	MXA602SLB	8		
TRX4PRO	4-PRO	MXAMCAPP	MXA60L	6	MXA4.45	
TRX4PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
	11.5	XIRON ROOF	AUDIO SOLUTI	ONS		
PROWLER 500 2 SEATER						
PRW25CORE	2-CORE	MXA1MC	MXA602SLB	2	*	-
PROWLER & HDX 700 2 SEA	TER					
PRW27CORE	2-CORE	MXA1MC	MXA602SLB	2		V 70
PROWLER 700/1000 4 SEAT	ER					
PRW4CORE	4-CORE	MXA1MC	MXA602SLB	2	4	-
WILDCAT 700 2 SEATER			COMMON CONTRACTOR OF THE COMMON CONTRACTOR OF	333		
WLD27CORE	2-CORE	MXA1MC	MXA602SLB	2	-	((*)
WILDCAT 1000 2 SEATER 20	- 100 PM (00	1100-111-1	14000000000			
WLD21K16CORE	2-CORE	MXAIMC	MXA602SLB	2		
WILDCAT 1000 2 SEATER 20		MAATMC	MAAOOZGEB			
WLD21K17CORE	2-CORE	MYAIMC	MXA602SLB	2	2	
INCOME AND ADDRESS OF THE PROPERTY OF THE PROP	Z-CORE	MXA1MC	MAAOUZSLB			
WILDCAT 1000 4 SEATER	/ CODE	MYATMC	MYACOOCID	,		
WLD41KCORE	4-CORE	MXA1MC	MXA602SLB	4	-	
	YA	MAHA ROOF	AUDIO SOLUTIO	ONS		
VIKING 3 2 SEATER	0.040					
VIK2CORE	2-CORE	MXA1MC	MXA602SLB	4		
VIK2PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
VIKING 6 4 SEATER	a FNV	MACHINAFF	INDAOVE.		-1//14/170	
VIK4CORE	4-CODE	MYAIMC	MXA602SLB	4		
	4-CORE	MXA1MC			MVACCE	
VIK4PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	envero.
VIK4PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
WOLVERINE 2 SEATER				1121		
WLV2CORE	2-CORE	MXA1MC	MXA602SLB	4		
WLV2PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
WOLVERINE CREW 4 SEATE	R					
WLV4CORE	4-CORE	MXA1MC	MXA602SLB	4		
WLV4PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
WLV4PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
	MA	HINDRA ROO	F AUDIO SOLUT	IONS		
ROXOR 2 SEATER						
	2-CORE	MXA1MC	MXA602SLB			
ROX2CORE						
	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ROX2CORE ROX2PRO ROX2PROP			MXA60L MXA60L	4	MXA2.140 MXA5.600	SRXS1044



Memphis Powersports Kits were designed as a direct fit solution for Side-By-Sides. These kits offer multiple levels of performance allowing you to level up your sound without any custom fabrication required. Kits include everything from a single 2 or 4 speaker set up to a fully amplified 4 speakers system complete with a powered subwoofer allowing your machine to stand out on the trails.





ERED SUBWOOFER

AVAILABLE MODELS

POLARIS RZR:

Front Speakers Fit: 2014-2019 RZR Rear Speakers Fit: 2014-2018 RZR

POLARIS RANGER

Fits 2013-2018 Rangers Plus System (subwoofer) Not Available

POLARIS GENERAL

Fits 2016 and Newer Generals

CANAM X3

Fits 2017-2019 X3 models



COMING SOON KITS AVAILABLE Q2 2020







PERFORMANCE LEVELS

				-	
ТОР ТҮРЕ	MXAMCAPP SOURCE UNIT	DUAL 6.5" FRONT SPEAKER ENCLOSURES	DUAL 6.5" REAR MXA62PS SPEAKER PODS	10" SUBWOOFER ENCLOSURE W/ INTEGRATED AMP	UPGRADED 4-CHANNEL FULL RANGE AMP
CORE 2	✓	✓			
CORE 2 PLUS	✓	✓		✓	
CORE 4	✓	✓	√		
CORE 4 PLUS	✓	✓	✓	✓	
PRO 4	✓	✓	✓		✓
PRO4 PLUS	√	✓	√	✓	✓



Harley Davidson OEM direct fit replacement kits includes everything you need to upgrade 2014 + Harley Davidson Street Glide and 2015 + Road Glide audio systems. The marine grade speakers in this kit were engineered for high output to be heard over loud engine noise and at highway speeds. The included amplifiers feature mounting brackets were designed to fit into specific locations on your bike making installation effortless. The included wire harness counters the EQ from the factory head unit sending a flat signal into your amplifier allowing you to achieve superior audio performance from your sound system.







KITS AVAILABLE Q2 2020

features

MXAZ24MC - Multi-Zone Media Center With Subwoofer Control

- Designed for 2014+ Street Glide® 2015" Road Glide® and Tour-Pak
- IP66 weather proof design
- · Low profile proprietary film dome tweeter with neodymium magnet
- Tweeter features integrated wave guide for improved low mid-range output
- · Carbon-Fiber reinforced polypropylene Cone
- Santoprene surround
- Santoprene front spider for weather resistance
- High power 35mm voice coil
- · Neodymium ring magnet motor for maximum output
- · High temperature glass reinforced polymer frame to resist corrosion
- Integrated 6dB crossover with high power mylar capacitor
- Grilles for Road Glide, Street Glide and rear Tour-Pack included

mxa Harley Davidson kit

Harley Davidson OEM Direct Fit Speakers Only

MXA62HD 6.5" 4Ω HD Direct Fit Speakers 75/150w

Includes 3 Grilles - Road Glide, Street

Glide, Tour-Pak

Complete Harley Davidson OEM Direct Fit Kit

MXA14HDKIT Includes brackets and wire harness

MXA300.4 Motorcycle Amplifier

MXA300.4 300 Watt 4-Channel Amplifier Mounts directly to amp plate in MXA14HDKIT

Purchase all 3 part numbers for a complete Harley installation Kit!

LL6SA

6-Channel Line Level Adapter

- · Six inputs and outputs
- Signal sensing
- · Remote turn on output
- 9.5v line level output
- Auto summing
- Remote level for Bass

Aux input





CX23

3-Way Crossover

- 3-way crossover
- Bandpass capable
- · Includes wired remote level control
- · 7v line level output
- Signal to noise ratio >110
- THD% 0.0005%



EQL7

7-Band Equalizer

- ½ Din 7 band pre-amp/Graphic EQ
- · 8v out
- >96dB S/N ratio
- Aux input
- · Blue LED backlight



LLD2A

2-Channel Line Level

- 9.5v line level output
- 100 Watts of speaker level input at 4Ω
- Signal sense turn on
- · manual turn on function w/ output
- Wired remote level control Aux input





MEMBX

Bass Expander

- Digital Bass restoration processor
- · Low level inputs
- Max 9.5v output
- Variable Q and Frequency control
- · Remote bass control included







MXAZEQ5BT

Dual Zone 5-Band EQ W/ Bluetooth

- 3 Zone controller with 2 separate 5 band EQs (tower zone and cabin zone)
- Independent subwoofer level control
- Direct Bluetooth input
- Auxiliary Input
- 6V output
- True Marine Build with conformal coated PCB's and sealed design

MXAEQ7

Marine Grade 7-Bane Equalizer

- ½ Din 7 band pre-amp/Graphic EQ
- 8v out
- >96dB S/N ratio
- Aux input
- White LED backlight
- True marine build w/ conformal coated boards and sealed design









Accurate powerful sound

Enhanced bass response

Effortless pairing

Customizable ergonomic fit

Bountiful battery life

Siri®/Google Assistant™ ready

Hand-free voice recognition

Lightweight design

Stylish case w/ integrated charger

features

- Talk Time: 4+ Hours
- Music Playback Time: 3+ Hour
- Idle Standby Time: 90+ hours
- · Lithium polymer rechargeable battery
- 8 mm dynamic driver
- · SIRI & OK GOOGLE compatible
- · Multiple ergonomic ear tips for custom fit
- · Case charges earbuds 4 times when unplugged
- Single button device control (play, pause, skip, SIRI/OK GOOGLE)

mbud air

MBUDAIR

True wireless Bluetooth Earbuds



Memphis Connection has been redesigned with a fresh new look and improved functionality. Maximize system performance and improve the durability of your system with secure quality connections at every point in your installation.



NEW & IMPROVED DESIGN ON ALL MEMPHIS CONNECTION









DBLOCK

RVC

NPBAT

Distribution Block

	Wire Gauge	Quantity
Inputs	0/4 AWG	2
Outputs	4/8 AWG	4

Remote Level Control

		Quantity
Inputs	RCA	1
Outputs	RCA	1

Battery Terminal +/-

Ç	Wire Gauge	Quantity	
Output	0/4 AWG	2	
Outputs	8 AWG	1	





ANLFB

AFS Fuse Holder

	Wire Gauge	Quantity	
Inputs	4/8 AWG	1	
Outputs	4/8 AWG	1	

ANL Fuse Holder

	Wire Gauge	Quantity
Inputs	0/4 AWG	1
Outputs	0/4 AWG	1

2FCAPM

Capacitor

	Wire Gauge
Surge Voltage (V)	20
Capacitance (F)	2
Distribution Input/Output	0/4 AWG









AMP KITS


Everything you need to install your amplifier in one convenient kit.

Kit Type		Amplii	fier Kits		Powe	er Kits
Part Number	OGKIT	4GKIT	8GKIT	10GKIT	OGPWKIT	4GPWKIT
Power Wire Gage	0	4	8	10	0	4
Fuse Holder Type	ANL	ANL	AFS	ATC	ANL	AFS
Interconnects	(3) ETP-17	(2) ETP-17	(1) ETP-17	(1) ETP-17	NONE	NONE





Memphis wire is made from the highest quality oxygen free copper on the market for superior conductivity and performance. Don't sacrifice the quality of your audio system by using inferior wire.



POWER WIRE AND SPEAKER WIRE

Pure oxygen free copper wire for the unparalleled performance (O= Orange + // B = Black -)

Part Number	0FO51 0FB25	4FO100 4FB1000	8FO250 8FB250	16SW250	12SW250	18REM1000	9W100
Description	0 AWG PWR Wire	4 AWG PWR Wire	8 AWG PWR Wire	16 AWG Speaker Wire	12 AWG Speaker Wire	18 AWG Re- mote Wire	Jacketed 9 Wire 8 - Sprk 1 - Rmt
Power Wire Gauge	o	4	8	16	12	18	18
Length (Ft)	51/25	100	250	250	250	1000	100



NEW & IMPROVED DESIGN ON ALL MEMPHIS CONNECTION



UTPF Professional Grade RCA's

UTPF wire is the highest quality connection available from Memphis. These wires feature Memphis True Twist technology for better noise reduction. The machined metal ends are crafted for a tight precision fit and the single jacket wire casing is soft and mailable making installation simple.

- True Twist paired wires
- Soft mailable jacket
- Machined Easy-Grip metal ends
- Upgraded shielding





The highest quality professional grade Memphis Connection available

Part Number	UTPF-1.5	UTPF-3	UTPF-7	UTPF-17	UTPF-21	UTPF-17.4	UTPF-17.6
# Of Channels	2	2	2	2	2	4	6
Length (Ft)	1.5	3	7	17	21	17	17
Ends	Machined Metal						

ETP Performance Grade RCA's

Memphis ETP performance grade wires offer a solid connection and feature molded plastic ends for better grip and usability. Paired twisted wire is utilized for noise reduction.

- Twist paired wires
- Mailable clear frosted jacket
- · Easy Grip molded plastic ends





Performance Grade Connection

Part Numbe	er ETP-1.5	ETP-3	ETP-7	ETP-12	ETP-17	ETP-21	ETP-17.4	ETP-17.6	ETP-YM	ETP-YF
# Of Chann	els 2	2	2	2	2	2	4	6	1	1
Length (Ft)	1.5	3	7	12	17	21	17	17	0.5	0.5
Ends	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC







3.5MM TO 3.5MM & 3.5MM TO RCA

Twisted wire in a frosted flexible jacket with satin nickel connections

Part Number	UTPF-353	UTPF-356	UTPF-35R3	UTPF-35R6	UTPF-35R12
Connections	3.5MM - 3.5MM	3.5MM - 3.5MM	3.5MM - RCA	3.5MM - RCA	3.5MM - RCA
Length (Ft)	3	6	3	6	12
Ends	MOLDED	MOLDED	MOLDED	MOLDED	MOLDED







Powersports Amp Kits

Designed specifically for powersports applications

SOMEON CONTRACTOR OF STREET		
Part Number	MXA8GKIT	
Power Wire Gage	8	
Fuse Holder	AFS	
Interconnects	(1) ETP-6	
Speaker Wire	18 AWG (30 Ft)	

Powersports Power And Speaker Wire

Solutions that withstand the elements and perform in extreme conditions

Part Number	8GPG100	MXA18SW50	SW16LED120	SW16LED500
Description	Parallel PWR	Parallel SPKR	SPKR + RGB LED	SPKR + RGB LED
Wire Gage	8	18	16 + 20	16 + 20
Wire Length	100	50	120	500
Material	Tinned OFC	Tinned OFC	Tinned OFC	Tinned OFC

*OFC = Oxygen Free Copper

Polaris Ride Command & OEM Radio Integration

Establish RCA outputs for Polaris radios to add additional audio components.

Part Number	MXA10GKIT
RCDRCA	Adapter connects directly to Polaris Ride Command System
POLECA	Adapter works with Polaris OFM head unit









New Design - Black on Blue Thermal Foil

On the North	6/	er (1)	6/
6/	the No.		ON THE PARTY
the B		the North	%
	orto No.	9/	ON THE PART

True Mat Sound Deadening

Maximize the potential of your audio system with Memphis True Mat

Part Number	Descriptions
TMLP	License plate - Frame & Mat
тмѕк	Speaker Kit - Two 10 x 10 Sheets
TMVK	VersaKit - One 18 x 32 Sheet
тмвк	Bulk Kit - Ten 18 x 36 Sheets

True Mat Features

- Butyl based construction Superior flexibility in any climate
- Reduces panel resonance for better sound by reducing road noise
- Industrial grade adhesive bonds to virtually any surface
- Metal shield increases durability and acts as a thermal barrier Dense 2mm pad for single layer application

